



International Construction Equipment  
 301 Warehouse Drive  
 Matthews, NC 28104  
 Phone: 704 821-8200  
 Email [info@iceusa.com](mailto:info@iceusa.com)

Sheeting Clamps				
Includes jaws and hydraulic hoses for clamp to vibrator connection				
Clamp Model	Vibro Models	lbs	kgs	Notes
23	2	260	117.9	Sheeting Clamp c/w Jaws
216	216	866	392.8	Sheeting Clamp c/w Jaws
14-23	11, 14	866	392.8	Sheeting Clamp c/w Jaws
140C	22, 416, 22B, 44, 44B	2150	975.2	Sheeting Clamp c/w DS Jaws
196C	44, 44B, 66, 84, V360	2840	1288.2	Sheeting Clamp c/w DS Jaws

Casing Clamps				
Includes jaws and hydraulic hoses for clamp to vibrator connection				
Clamp Model	Vibro Models	lbs	kgs	Notes
100B	22, 416, 28B, 44, 44B	920	417.3	Casing Clamp c/w Jaws
100BH	22, 416, 28B, 44, 44B	964	437.3	c/wJaws Hyra-Lock locks
122B	44, 44B, 66, 84, V360	1740	789.3	Casing Clamp c/w Jaws
122BH	44, 44B, 66, 84, V360	1776	805.6	c/wJaws Hyra-Lock locks
142B	44, 44B, 66, 84, V360	1740	789.3	Casing Clamp c/w Jaws
	44, 44B.			

142BH	66, 84, V360	1776	805.6	c/wJaws Hyra-Lock locks
-------	-----------------	------	-------	----------------------------

Wood Pile, Concrete, and Combination Clamps				
---	--	--	--	--

See notes for Jaw and material options				
--	--	--	--	--

Clamp Model	Vibro Models	lbs	kgs	Notes
25	216	2510	1138.5	For wood Pile
40WP	216 thru 28	3278	1486.9	Combo Clamp w/ Timber Jaws
40CP	216 thru 28	3482	1579.4	Combo Clamp w/ Concrete Jaws
40HP	216 thru 28	3220	1460.6	Combo Clamp -No Jaw inserts
85CWP	28 thru 66	6570	2980.1	Combo Clamp w/ Timber Jaws
85CCP	28 thru 66	6425	2914.4	Combo Clamp w/ Concrete Jaws
85	28 thru 66	6500	2948.4	Combo Clamp -No Jaw inserts

Caisson Beams and Beam Accessories				
------------------------------------	--	--	--	--

Used for all casing clamp models				
----------------------------------	--	--	--	--

Beam Model	Casing Clamp Models	lbs	kgs	Notes
3'	216, 11, 14	1100	499.0	Includes bolts
4'	216, 11, 14	1160	526.2	Includes bolts
5'	22, 28	1060	480.8	Includes bolts
6 1/2'	416 thru 84	1375	623.7	Includes bolts
12'	44 thru 66C	4255	1930.1	Includes bolts
10'	84C, 110C	6220	2821.4	Includes bolts
Quad for Single Vibro	V360	17200	7801.9	Quad Beam x 11'

Quad for Tandem Vibro	V360	41100	18642.8	Quad Beam x 12'
122/196A	Model 122 to 196	1505	682.7	used for 44" casing

### Jaws

Order Jaws separately for multiple applications

Jaw Type	Clamp Model	lbs	kgs	Description
Timber	Model 40	313	142.0	1 set timber Jaw inserts
Concrete	Model 40	517	234.5	1 set concrete Jaw inserts
Timber	Model 85	345	156.5	1 set timber Jaw inserts
Concrete	Model 85	200	90.7	1 set concrete Jaw inserts
Pipe	Model 40	324	147.0	1 set pipe inserts (10")
Pipe	Model 40	348	157.9	1 set pipe inserts (10 3/4")
Pipe	Model 40	388	176.0	1 set pipe inserts (12")
Pipe	Model 40	414	187.8	1 set pipe inserts (12 3/4")
Pipe	Model 40	454	205.9	1 set pipe inserts (14")
Pipe	Model 40	518	235.0	1 set pipe inserts (16")
Pipe	Model 40	550	249.5	1 set pipe inserts (17")

### Clamp Accessories & Bias Weights

#### Accessory Items

Type	Vibro Models	lbs	kgs	Description
90-Degree Turning Plate	22, 28C, 44, 44B, 66C	1075	487.6	Turning plate with bolts
10' clamp extension	22, 28C, 44, 44B, 66C	2150	975.2	Clamp ext. with bolts & hoses
Vibro lead sled	22, 28C, 44, 44B,	250	113.4	for 26" leads

	bbL			
<b>Bias Weights</b>	<i>All sets include clips and hardware</i>			
<b>Model Name</b>	<b>Vibro Models</b>	<b>lbs</b>	<b>kgs</b>	<b>Description</b>
400	2	400	181.4	
2045	216, 11 or 14	2045	927.6	
2400	22, 28B	2400	1088.6	
2750	44 thru 84	2750	1247.4	Add 1 or 2 sets
3000	28C			
3700	416L	3700	1678.3	

"Due to improvements to ICE manufactured products and the EPA mandated Tier III emission regulations, unit specifications are subject to change without notice. Please contact ICE engineering department to confirm possible changes."